


Inverted Arc with Aluminum Holder

WORKSHEET
IWIAH.0909



180° Holder with brush shown

Please feel free to contact us for assistance.
804-743-0982 | 800-787-7325
industrial@sealeze.com

	CHANNEL DIMENSIONS			
	X		Y	
Section	in.	mm	in.	mm
A	0.095	2.413	0.110	2.794
B	0.150	3.810	0.152	3.861
C	0.180	4.572	0.199	5.055
D	0.240	6.096	0.256	6.502
F	0.313	7.950	0.313	7.950
G	0.350	8.890	0.370	9.398
K	0.500	12.700	0.500	12.700

MINIMUM OR FOR INVERTED ARC FORMED ALUMINUM HOLDER						
Section	Product Code *	180°		90°		Angled Holders
		in.	mm	in.	mm	
A	IAA1	2.500	63.500	2.000	50.800	On Application
B	IAB1	3.000	76.200	2.500	63.500	On Application
C	IAC1	3.500	88.900	3.000	76.200	On Application
D	IAD1	3.750	95.250	3.250	82.550	On Application
F	IAF1	On App.	On App.	On App.	On App.	On Application
G	IAG1	5.000	127.000	4.000	101.600	On Application
K	IAK1	On App.	On App.	On App.	On App.	On Application

* T-304 S/S Channel change "1" to "2". Other S/S available on request

Contact Name: _____
 Company Name: _____
 Phone: _____
 Fax: _____
 Email: _____

Quantity: _____ Annual Usage: _____

Channel Material:
 Galvanized, T-304 S/S, Other S/S
 available on request

Holder Product Code: _____

Inverted Arc Product Code: _____

Filament Material: _____

Level or Crimped: _____

Filament Diameter: _____

Degrees of Arc: _____

Outside Radius of Holder: _____

Inside Radius of Brush: _____

Hole Diameters: _____

Hole Location: _____

Please circle the critical dimension:

OR IR

Application: _____

8000 Whitepine Road
 Richmond, VA 23237

phone: 804-743-0982
 fax: 804-743-3413

toll free
 phone: 800-787-7325
 fax: 800-448-2908



industrial@sealeze.com
 www.sealeze.com