


# Cup Seal with Aluminum Holder

Worksheet [R. 02.2015]



Contact Name: \_\_\_\_\_

Company Name: \_\_\_\_\_

Phone: \_\_\_\_\_

Fax: \_\_\_\_\_

Email: \_\_\_\_\_

## Specifications

Quantity: \_\_\_\_\_

Annual Usage: \_\_\_\_\_

Channel Material: \_\_\_\_\_

Galvanized, T-304 S/S, Other S/S available on request

Filament Material: \_\_\_\_\_

Level or Crimped: \_\_\_\_\_

Filament Diameter: \_\_\_\_\_

OD (Outside Diameter): \_\_\_\_\_

ID (Inside Diameter): \_\_\_\_\_

Exposed: \_\_\_\_\_

Please circle the critical dimension:

OD ID

Application: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



### CHANNEL DIMENSIONS

Section	X		Y	
	in	mm	in	mm
A	0.095	2.413	0.110	2.794
B	0.150	3.810	0.152	3.861
C	0.180	4.572	0.199	5.055
D	0.240	6.096	0.256	6.502
F	0.313	7.950	0.313	7.950
G	0.350	8.890	0.370	9.398
K	0.500	12.700	0.500	12.700



### MINIMUM OD for CUP SEAL with FORMED ALUMINUM HOLDER

Section	Product Code *	180°		90°		Angled Holders
		in.	mm	in.	mm	
A	CFA1	4.000	101.600	6.000	152.400	On Application
B	CFB1	5.000	127.000	7.000	177.800	On Application
C	CFC1	6.000	152.400	8.000	203.200	On Application
D	CFD1	6.500	165.100	9.000	228.600	On Application
F	CFF1	On Application		On Application		On Application
G	CFG1	10.000	254.000	12.000	304.800	On Application
K	CFK1	On Application		On Application		On Application

\* T-304 S/S Channel change "1" to "2". Other S/S available on request